




# Replaces Toro ProCore 660 Parts

Aerating Unit

4-Tine Head - Model 09723



NOTE: #21, #23 and #24 are used when #22 is not present  
or #21 and #23 are used when #22 is present



NOTE: TINES NOT SUPPLIED WITH KIT



# Replaces Toro ProCore 660 Parts

Aerating Unit

4-Tine Head - Model 09723



| Item No | R&R Part No. | OEM Part No. | Description | Qty Req | Order Quantity |
|---------|--------------|--------------|-------------|---------|----------------|
|---------|--------------|--------------|-------------|---------|----------------|

## Tines

|    |                  |          |                                             |   |  |
|----|------------------|----------|---------------------------------------------|---|--|
| 10 | <b>R100-3628</b> | 100-3628 | Alloy Solid Tine - .750MT x 6.375L x .433OD | 4 |  |
|----|------------------|----------|---------------------------------------------|---|--|

*Detail Description:* Alloy Solid Tines aerate without the work of cleaning up the mess of cores and debris left behind with conventional core aerating. R&R Solid Tines are manufactured from a special high-carbon steel bar and heat treated to RC45-48 in our own heat treatment facility. They are available in all standard sizes but are especially popular in the smaller diameters for aerating in the summer months to relieve the stress on greens by allowing water, air and nutrients to easily flow into the root zone. With the combination of small holes and no cores, play can be resumed immediately.:

|    |                  |                       |                                             |   |  |
|----|------------------|-----------------------|---------------------------------------------|---|--|
| 10 | <b>R100-3627</b> | 100-3627,<br>108-9212 | Alloy Solid Tine - .750MT x 6.375L x .394OD | 4 |  |
|----|------------------|-----------------------|---------------------------------------------|---|--|

*Detail Description:* Alloy Solid Tines aerate without the work of cleaning up the mess of cores and debris left behind with conventional core aerating. R&R Solid Tines are manufactured from a special high-carbon steel bar and heat treated to RC45-48 in our own heat treatment facility. They are available in all standard sizes but are especially popular in the smaller diameters for aerating in the summer months to relieve the stress on greens by allowing water, air and nutrients to easily flow into the root zone. With the combination of small holes and no cores, play can be resumed immediately.:

|    |                  |                       |                                             |   |  |
|----|------------------|-----------------------|---------------------------------------------|---|--|
| 10 | <b>R100-3626</b> | 100-3626,<br>108-9211 | Alloy Solid Tine - .750MT x 6.375L x .354OD | 4 |  |
|----|------------------|-----------------------|---------------------------------------------|---|--|

*Detail Description:* Alloy Solid Tines aerate without the work of cleaning up the mess of cores and debris left behind with conventional core aerating. R&R Solid Tines are manufactured from a special high-carbon steel bar and heat treated to RC45-48 in our own heat treatment facility. They are available in all standard sizes but are especially popular in the smaller diameters for aerating in the summer months to relieve the stress on greens by allowing water, air and nutrients to easily flow into the root zone. With the combination of small holes and no cores, play can be resumed immediately.:

|    |                  |          |                                             |   |  |
|----|------------------|----------|---------------------------------------------|---|--|
| 10 | <b>R100-3629</b> | 100-3629 | Alloy Solid Tine - .750MT x 6.375L x .511OD | 4 |  |
|----|------------------|----------|---------------------------------------------|---|--|

*Detail Description:* Alloy Solid Tines aerate without the work of cleaning up the mess of cores and debris left behind with conventional core aerating. R&R Solid Tines are manufactured from a special high-carbon steel bar and heat treated to RC45-48 in our own heat treatment facility. They are available in all standard sizes but are especially popular in the smaller diameters for aerating in the summer months to relieve the stress on greens by allowing water, air and nutrients to easily flow into the root zone. With the combination of small holes and no cores, play can be resumed immediately.:

|    |                  |          |                                             |   |  |
|----|------------------|----------|---------------------------------------------|---|--|
| 10 | <b>R100-3630</b> | 100-3630 | Alloy Solid Tine - .750MT x 6.375L x .630OD | 4 |  |
|----|------------------|----------|---------------------------------------------|---|--|

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces Toro ProCore 660 Parts

Aerating Unit

4-Tine Head - Model 09723



| Item No | R&R Part No. | OEM Part No. | Description | Qty Req | Order Quantity |
|---------|--------------|--------------|-------------|---------|----------------|
|---------|--------------|--------------|-------------|---------|----------------|

*Detail Description: Alloy Solid Tines aerate without the work of cleaning up the mess of cores and debris left behind with conventional core aerating. R&R Solid Tines are manufactured from a special high-carbon steel bar and heat treated to RC45-48 in our own heat treatment facility. They are available in all standard sizes but are especially popular in the smaller diameters for aerating in the summer months to relieve the stress on greens by allowing water, air and nutrients to easily flow into the root zone. With the combination of small holes and no cores, play can be resumed immediately.:*

|    |                  |          |                                              |   |  |
|----|------------------|----------|----------------------------------------------|---|--|
| 11 | <b>R108-9133</b> | 108-9133 | Alloy Hollow Tine - .750MT x 5.750L x .570OD | 4 |  |
|----|------------------|----------|----------------------------------------------|---|--|

*Detail Description: Like Standard Hollow Tines, this tine is also tubular and designed to remove a soil core, but they are constructed from a special high carbon alloy steel. The steel tubing is specially manufactured for R&R to achieve uniform hardness of RC45-48 throughout the tine for excellent wear and toughness. These tines are much tougher and resist bending in extremely hard or rocky soils and you can expect 3-4 times longer life than from the Standard Hollow Tines.:*

|    |                  |          |                                              |   |  |
|----|------------------|----------|----------------------------------------------|---|--|
| 11 | <b>R108-9128</b> | 108-9128 | Alloy Hollow Tine - .750MT x 4.750L x .470OD | 4 |  |
|----|------------------|----------|----------------------------------------------|---|--|

*Detail Description: Like Standard Hollow Tines, this tine is also tubular and designed to remove a soil core, but they are constructed from a special high carbon alloy steel. The steel tubing is specially manufactured for R&R to achieve uniform hardness of RC45-48 throughout the tine for excellent wear and toughness. These tines are much tougher and resist bending in extremely hard or rocky soils and you can expect 3-4 times longer life than from the Standard Hollow Tines.:*

|    |                  |                       |                                                 |   |  |
|----|------------------|-----------------------|-------------------------------------------------|---|--|
| 11 | <b>R104-0984</b> | 100-3635,<br>104-0984 | Standard Hollow Tine - .750MT x 5.750L x .660OD | 4 |  |
|----|------------------|-----------------------|-------------------------------------------------|---|--|

*Detail Description: Designed to remove a soil core, R&R Standard Hollow Tines are constructed from case hardened tubular steel and are the most economical tines available. Case hardening hardens the inner and outer surfaces of the tine wall to over RC55 for added wear.:*

|    |                |          |                                                 |   |  |
|----|----------------|----------|-------------------------------------------------|---|--|
| 11 | <b>R523472</b> | 100-3634 | Standard Hollow Tine - .750MT x 5.500L x .520OD | 4 |  |
|----|----------------|----------|-------------------------------------------------|---|--|

*Detail Description: Designed to remove a soil core, R&R Standard Hollow Tines are constructed from case hardened tubular steel and are the most economical tines available. Case hardening hardens the inner and outer surfaces of the tine wall to over RC55 for added wear.:*

|    |                 |                      |                                                 |   |  |
|----|-----------------|----------------------|-------------------------------------------------|---|--|
| 11 | <b>R59-3690</b> | 100-3633,<br>59-3690 | Standard Hollow Tine - .750MT x 4.750L x .475OD | 4 |  |
|----|-----------------|----------------------|-------------------------------------------------|---|--|

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces Toro ProCore 660 Parts

Aerating Unit

4-Tine Head - Model 09723



| Item No | R&R Part No. | OEM Part No. | Description | Qty Req | Order Quantity |
|---------|--------------|--------------|-------------|---------|----------------|
|---------|--------------|--------------|-------------|---------|----------------|

*Detail Description: Designed to remove a soil core, R&R Standard Hollow Tines are constructed from case hardened tubular steel and are the most economical tines available. Case hardening hardens the inner and outer surfaces of the tine wall to over RC55 for added wear.:*

|    |                  |                                                 |                                                     |   |  |
|----|------------------|-------------------------------------------------|-----------------------------------------------------|---|--|
| 12 | <b>R104-9875</b> | 100-3631,<br>104-9875,<br>108-9260,<br>108-9261 | Alloy Side-Eject Spoon -<br>.750MT x 5.75L x .750OD | 4 |  |
|----|------------------|-------------------------------------------------|-----------------------------------------------------|---|--|

*Detail Description: Manufactured in our own facility from heavy duty alloy steel and heat treated to RC45-48 for durability and wear, these spoons are formed with an open slot in the side for easy core ejection and to avoid plugging.:*

|    |                  |                       |                                                     |   |  |
|----|------------------|-----------------------|-----------------------------------------------------|---|--|
| 12 | <b>R104-9876</b> | 100-3632,<br>104-9876 | Alloy Side-Eject Spoon -<br>.750MT x 5.75L x .625OD | 4 |  |
|----|------------------|-----------------------|-----------------------------------------------------|---|--|

*Detail Description: Manufactured in our own facility from heavy duty alloy steel and heat treated to RC45-48 for durability and wear, these spoons are formed with an open slot in the side for easy core ejection and to avoid plugging.:*

## Other Parts Available

|    |                  |          |                                     |   |  |
|----|------------------|----------|-------------------------------------|---|--|
| 20 | <b>R100-3696</b> | 100-3696 | Tine Holder Assy - 4 Tine 3/4<br>Mt | 1 |  |
|----|------------------|----------|-------------------------------------|---|--|

|    |                   |           |                            |   |  |
|----|-------------------|-----------|----------------------------|---|--|
| 21 | <b>R33118-045</b> | 33118-045 | Bolt - Hex HD M16-2.0 x 45 | 2 |  |
|----|-------------------|-----------|----------------------------|---|--|

*Tech Note: Use when Item 22 is present:*

|    |                  |          |                           |   |  |
|----|------------------|----------|---------------------------|---|--|
| 22 | <b>R33028-00</b> | 33028-00 | Locknut - 16mm x 2.0 ESNA | 2 |  |
|----|------------------|----------|---------------------------|---|--|

|    |                  |          |                   |   |  |
|----|------------------|----------|-------------------|---|--|
| 23 | <b>R33098-00</b> | 33098-00 | Flatwasher - 16mm | 2 |  |
|----|------------------|----------|-------------------|---|--|

*Tech Note: Use when Item 22 is present:*

|    |                  |          |             |   |  |
|----|------------------|----------|-------------|---|--|
| 23 | <b>R33096-00</b> | 33096-00 | Washer-Flat | 2 |  |
|----|------------------|----------|-------------|---|--|

*Tech Note: Use when Item 22 is NOT present:*

|    |                 |                                                             |                    |   |  |
|----|-----------------|-------------------------------------------------------------|--------------------|---|--|
| 24 | <b>R48-9590</b> | 01-176-0040,<br>42-9600,<br>48-9590,<br>48-9690,<br>63-7780 | Washer - Lock 10mm | 6 |  |
|----|-----------------|-------------------------------------------------------------|--------------------|---|--|

*Tech Note: Use when Item 22 is present:*

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces Toro ProCore 660 Parts

Aerating Unit

4-Tine Head - Model 09723



| Item No | R&R Part No.      | OEM Part No. | Description                | Qty Req | Order Quantity |
|---------|-------------------|--------------|----------------------------|---------|----------------|
| 25      | <b>R33115-050</b> | 33115-050    | Bolt - Hex HD M10-1.5 x 50 | 6       |                |

*Tech Note: Use when Item 22 is present:*

|    |               |                                                                                          |                                     |   |  |
|----|---------------|------------------------------------------------------------------------------------------|-------------------------------------|---|--|
| 25 | <b>R323-8</b> | 01-150-0060,<br>01-178-0612,<br>20-49-AD,<br>20-49-AGD,<br>323-8,<br>3273-41,<br>908036P | Bolt - Hex HD 3/8-16 x 1-1/2<br>GR8 | 6 |  |
|----|---------------|------------------------------------------------------------------------------------------|-------------------------------------|---|--|

*Tech Note: Use when Item 22 is NOT present:*

|    |                |                                                                                                 |                   |   |  |
|----|----------------|-------------------------------------------------------------------------------------------------|-------------------|---|--|
| 26 | <b>R3253-7</b> | 01-166-0030,<br>01-166-0080,<br>01-166-0290,<br>01-166-0810,<br>23-13-GD,<br>3253-7,<br>48-9380 | Washer - Lock 1/2 | 2 |  |
|----|----------------|-------------------------------------------------------------------------------------------------|-------------------|---|--|

*Tech Note: Use when Item 22 is NOT present:*

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.