




Verti-Cut Unit with Rollers Verti-Cut Reel & Frame







Verti-Cut Unit with Rollers Verti-Cut Reel & Frame

	Ver	li-Cul Reel & Fluine			
	R&R Part No.	OEM Part No.	Description	Qty Req	Order Quantity
Verti	-Cut Blades				
1	R17-1590		Verti-Cut Blade	36	
2	R150209C	R106-6355, R150209, RGCC-003, RTCU26776	Verti-Cut Blade - Carbide Tipped 2mm	36	
	steel, and laser-cu wear. T	it to our exacting specification UNGSTEN CARBIDE TIPS. Pro	blade is made with the highest quality hand ions for superior toughness and otect blades from abrasion for extended life I cutting widths to meet local turf conditions	and	
2	R150109C	R106-5422, RGCC-002	Verti-Cut Blade - Carbide Tipped 1.2mm	36	
	steel, and laser-cu wear. T	it to our exacting specification UNGSTEN CARBIDE TIPS. Pro	blade is made with the highest quality hand ions for superior toughness and otect blades from abrasion for extended life I cutting widths to meet local turf conditions	and	
Over	haul Kits				
5	R106-6392		Verti-Cut Blade Kit - 2mm Carbide Tipped	0	
	Detail Description R150209C Vertica		Blades to rebuild 3 dethatching reels: 108 ea:		
Othe	r Parts Available				
10	R17-1600		Spacer - V-Cut Reel 1/4	72	
11	R17-1570		Shaft - Hex Verti-Cut	1	
12	R17-1520G		Weight - Counter V-Cut - Green	1	
13	R251-247		Bearing - Flanged V-Cut Sft	1	
14	R324-13		Bolt - Hex HD 7/16 x 3-1/4	2	
15	R17-1510		Eyebolt	2	





Verti-Cut Unit with Rollers Verti-Cut Reel & Frame

	R&R Part No.	OEM Part No.	Description	Qty Order Req Quantity
16	R17-1710		Washer - Flat 3/8 Yellow USS	4
17	R3217-7	3217-7, R01-188-0616, R1441, R14H1076, R22-13-AJD, R513296, R513415, R513425, R915113P	Nut - 3/8-16 Hex Plated	4
18	R150218		Roller - V-Cut	2
19	R52-3180	R21-6410	Bearing - Front Roller	4
20	R150220		Scraper - Front / Rear Rollers	2
23	R150219		Bolt - Rear Roller	2
24	R302-5	R173-0, R21-6010, R255825, R302-37, R302-47, R302-57, R302-58, R302-6, R31-0300, R32-9660, R471214, R471223, R471226, R60-0800, R62-3880, R92-4181, RJD7797, RJD7842, RJD7842, RJD7844, RM0004, RZS48114-04	Fitting - Grease	4
25	R3290-334		Washer - Lock Pyramidal	2
26	R443114		Nut - 7/16 Hex Yellow Zinc	2





Verti-Cut Unit with Rollers Verti-Cut Reel & Frame

	R&R Part No.	OEM Part No.	Description	Qty Req	Order Quantity
27	R3255-16		Washer - Lock 7/16 Ext Tooth	2	
28	R324-6	R01-150-1690, R01-178-0712, R20-68-AGD, R3225-3	Bolt - Hex HD 7/16-14 x 1-1/2	2	
29	R150212G		Frame - V-Cut - Green	1	
30	R17-1530G		Shield - Grass V-Cut - Green	1	
30	R17-1530S		Shield - Grass V-Cut - Stainless	1	
31	R354083	R104-7729, R361877	Decal - Danger	1	
32	R329-1		Bolt - Hex HD 1/4-28 x 5/8	4	
33	R3255-7	R76-5310	Washer - Lock 1/4 Ext Star Z	4	
34	R3256-22	R09061, R24-9-BD, R3-1032, R93-0954, R93-0989	Washer - Flat 1/4 Yellow	4	
35	R323-6	323-6, R01-150-0010, R01-178-0608, R20-47-AD, R20-47-AGD, R3224-2, R49-3510, R908034P, R908332	Bolt - Hex HD 3/8-16 x 1 GR5 YZ	2	
36	R3255-9	RF3077	Washer - Lock 3/8 Ext. Star	2	



Replaces R&R Products Versa-Green 1860PS Parts



Verti-Cut Unit with Rollers Verti-Cut Reel & Frame

	R&R Part No.	OEM Part No.	Description	Qty Req	Order Quantity
37	R453011	3256-24, 453011, R01-166-0100, R01-166-0120, R01-166-0270, R01-166-0500, R01-166-0600, R01-166-0620, R132-4593, R237-12, R24-10-AD, R24-10-AD, R24-11-BD, R24-11-BD, R24-12-BD, R24-12-BD, R30-9310, R32-8190, R3256-24, R3256-3, R3256-3, R3256-3, R3256-4, R47-9950	Washer - Flat 3/8 SAE Y/Zinc	2	
38	R3219-1	R01-158-0590, R01-188-0428, R14H860	Nut - 1/4-28	8	
39	R3254-8	R3	Washer - Lock 1/4 Int Star Z	8	
40	R150213		Ball Joint - Special V-Cut	2	
41	R150230		Spacer - 1/2 Ventilated V-Cut	36	
42	R105-9770	R10-5090, R26-5690, R70-9800, R94-3506, R94-3507	Hydraulic Motor - Reel Quick Release	1	
43	R10-5100		Nut - Splined 1-1/8 Long	1	
44	R17-1610G		Housing - Bearing V-Cut - Green	1	
45	R251-206		Bearing	1	
46	R251-77		Collar - Bearing	2	





Verti-Cut Unit with Rollers Verti-Cut Reel & Frame

	R&R Part No.	OEM Part No.	Description	Qty Req	Order Quantity
47	R32120-77		Ring - Retaining	1	
48	R3220-18	R67-5840	Nut - Jam V-Cut Shaft	2	
49	R17-1580		Spacer - V-Cut Reel 1/2	2	