




# Replaces Toro Greensmaster eTriFlex 3360 Parts

DPA Cutting Unit - Models 04651, 04653 & 04655  
Reel & Bedknife



All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces Toro Greensmaster eTriFlex 3360 Parts

DPA Cutting Unit - Models 04651, 04653 & 04655  
Reel & Bedknife



| Item No | R&R Part No. | OEM Part No. | Description | Qty Req | Order Quantity |
|---------|--------------|--------------|-------------|---------|----------------|
|---------|--------------|--------------|-------------|---------|----------------|

## R&R Reels, Lifetime Guaranteed

|   |                  |          |                |   |
|---|------------------|----------|----------------|---|
| 1 | <b>R119-4103</b> | 119-4103 | Reel - 8 Blade | 1 |
|---|------------------|----------|----------------|---|

*Detail Description:* R&R Reel blades are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our bedknives and original equipment bedknives. All R&R Reels are cylindrically ground on bearing surfaces and then relief ground. Reels are then precision computer balanced for extended bearing and reel life. R&R Products Reels are guaranteed against defects in material and workmanship for the life of the reel under normal use.:

|   |                  |          |                         |   |
|---|------------------|----------|-------------------------|---|
| 1 | <b>R127-2200</b> | 127-2200 | Reel - 8 Blade Low Drag | 1 |
|---|------------------|----------|-------------------------|---|

*Tech Note:* Low Drag:

*Detail Description:* R&R Reel blades are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our bedknives and original equipment bedknives. All R&R Reels are cylindrically ground on bearing surfaces and then relief ground. Reels are then precision computer balanced for extended bearing and reel life. R&R Products Reels are guaranteed against defects in material and workmanship for the life of the reel under normal use.:

|   |                  |          |                                      |   |
|---|------------------|----------|--------------------------------------|---|
| 1 | <b>R132-7340</b> | 132-7340 | Reel - 8 Blade Razor Series Low Drag | 1 |
|---|------------------|----------|--------------------------------------|---|

*Detail Description:* R&R Razor Reels are manufactured from a special high alloy steel and then hardened to RC48-51 to match the temper of our Razor bedknives and original equipment premium series bedknives. All R&R Reels are cylindrically ground on bearing surfaces, relief ground and precision computer balanced for extended bearing and reel life. R&R Products Reels are guaranteed against defects in material and workmanship for the life of the reel under normal use. You can expect up to double the life from Razor reels over standard reels.:

|   |                  |          |                 |   |
|---|------------------|----------|-----------------|---|
| 1 | <b>R119-4104</b> | 119-4104 | Reel - 11 Blade | 1 |
|---|------------------|----------|-----------------|---|

*Detail Description:* R&R Reel blades are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our bedknives and original equipment bedknives. All R&R Reels are cylindrically ground on bearing surfaces and then relief ground. Reels are then precision computer balanced for extended bearing and reel life. R&R Products Reels are guaranteed against defects in material and workmanship for the life of the reel under normal use.:

|   |                  |          |                          |   |
|---|------------------|----------|--------------------------|---|
| 1 | <b>R127-2201</b> | 127-2201 | Reel - 11 Blade Low Drag | 1 |
|---|------------------|----------|--------------------------|---|

*Tech Note:* Low Drag:

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces Toro Greensmaster eTriFlex 3360 Parts

DPA Cutting Unit - Models 04651, 04653 & 04655  
Reel & Bedknife



| Item No | R&R Part No. | OEM Part No. | Description | Qty Req | Order Quantity |
|---------|--------------|--------------|-------------|---------|----------------|
|---------|--------------|--------------|-------------|---------|----------------|

*Detail Description:* R&R Reel blades are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our bedknives and original equipment bedknives. All R&R Reels are cylindrically ground on bearing surfaces and then relief ground. Reels are then precision computer balanced for extended bearing and reel life. R&R Products Reels are guaranteed against defects in material and workmanship for the life of the reel under normal use.:

|   |                  |          |                                             |   |
|---|------------------|----------|---------------------------------------------|---|
| 1 | <b>R132-7341</b> | 132-7341 | Reel - 11 Blade Razor Series<br>Low Drag 21 | 1 |
|---|------------------|----------|---------------------------------------------|---|

*Detail Description:* R&R Razor Reels are manufactured from a special high alloy steel and then hardened to RC48-51 to match the temper of our Razor bedknives and original equipment premium series bedknives. All R&R Reels are cylindrically ground on bearing surfaces, relief ground and precision computer balanced for extended bearing and reel life. R&R Products Reels are guaranteed against defects in material and workmanship for the life of the reel under normal use. You can expect up to double the life from Razor reels over standard reels.:

|   |                  |          |                 |   |
|---|------------------|----------|-----------------|---|
| 1 | <b>R119-4105</b> | 119-4105 | Reel - 14 Blade | 1 |
|---|------------------|----------|-----------------|---|

*Detail Description:* R&R Reel blades are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our bedknives and original equipment bedknives. All R&R Reels are cylindrically ground on bearing surfaces and then relief ground. Reels are then precision computer balanced for extended bearing and reel life. R&R Products Reels are guaranteed against defects in material and workmanship for the life of the reel under normal use.:

|   |                  |          |                             |   |
|---|------------------|----------|-----------------------------|---|
| 1 | <b>R127-2202</b> | 127-2202 | Reel - 14 Blade Low Drag 21 | 1 |
|---|------------------|----------|-----------------------------|---|

*Tech Note:* Low Drag:

*Detail Description:* R&R Reel blades are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our bedknives and original equipment bedknives. All R&R Reels are cylindrically ground on bearing surfaces and then relief ground. Reels are then precision computer balanced for extended bearing and reel life. R&R Products Reels are guaranteed against defects in material and workmanship for the life of the reel under normal use.:

|   |                  |          |                                             |   |
|---|------------------|----------|---------------------------------------------|---|
| 1 | <b>R132-7342</b> | 132-7342 | Reel - 14 Blade Razor Series<br>Low Drag 21 | 1 |
|---|------------------|----------|---------------------------------------------|---|

*Detail Description:* R&R Razor Reels are manufactured from a special high alloy steel and then hardened to RC48-51 to match the temper of our Razor bedknives and original equipment premium series bedknives. All R&R Reels are cylindrically ground on bearing surfaces, relief ground and precision computer balanced for extended bearing and reel life. R&R Products Reels are guaranteed against defects in material and workmanship for the life of the reel under normal use. You can expect up to double the life from Razor reels over standard reels.:

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces Toro Greensmaster eTriFlex 3360 Parts

DPA Cutting Unit - Models 04651, 04653 & 04655  
Reel & Bedknife



| Item No | R&R Part No. | OEM Part No. | Description | Qty Req | Order Quantity |
|---------|--------------|--------------|-------------|---------|----------------|
|---------|--------------|--------------|-------------|---------|----------------|

## R&R Razor Reels, Lifetime Guaranteed

|   |                  |          |                                                       |   |  |
|---|------------------|----------|-------------------------------------------------------|---|--|
| 2 | <b>R137-8511</b> | 137-8511 | Reel - 8 Blade Razor Series w/Bearings and Seals 21x5 | 1 |  |
|---|------------------|----------|-------------------------------------------------------|---|--|

*Detail Description: R&R Razor Reels are manufactured from a special high alloy steel and then hardened to RC48-51 to match the temper of our Razor bedknives and original equipment premium series bedknives. All R&R Reels are cylindrically ground on bearing surfaces, relief ground and precision computer balanced for extended bearing and reel life. R&R Products Reels are guaranteed against defects in material and workmanship for the life of the reel under normal use. You can expect up to double the life from Razor reels over standard reels.:*

|   |                  |          |                                                        |   |  |
|---|------------------|----------|--------------------------------------------------------|---|--|
| 2 | <b>R137-8512</b> | 137-8512 | Reel - 11 Blade Razor Series w/Bearings and Seals 21x5 | 1 |  |
|---|------------------|----------|--------------------------------------------------------|---|--|

*Detail Description: R&R Razor Reels are manufactured from a special high alloy steel and then hardened to RC48-51 to match the temper of our Razor bedknives and original equipment premium series bedknives. All R&R Reels are cylindrically ground on bearing surfaces, relief ground and precision computer balanced for extended bearing and reel life. R&R Products Reels are guaranteed against defects in material and workmanship for the life of the reel under normal use. You can expect up to double the life from Razor reels over standard reels.:*

|   |                  |          |                                                        |   |  |
|---|------------------|----------|--------------------------------------------------------|---|--|
| 2 | <b>R137-8513</b> | 137-8513 | Reel - 14 Blade Razor Series w/Bearings and Seals 21x5 | 1 |  |
|---|------------------|----------|--------------------------------------------------------|---|--|

*Detail Description: R&R Razor Reels are manufactured from a special high alloy steel and then hardened to RC48-51 to match the temper of our Razor bedknives and original equipment premium series bedknives. All R&R Reels are cylindrically ground on bearing surfaces, relief ground and precision computer balanced for extended bearing and reel life. R&R Products Reels are guaranteed against defects in material and workmanship for the life of the reel under normal use. You can expect up to double the life from Razor reels over standard reels.:*

## R&R Bedknife, Lifetime Guaranteed

|   |                  |                       |                                                    |   |  |
|---|------------------|-----------------------|----------------------------------------------------|---|--|
| 3 | <b>R108-4302</b> | 108-4301,<br>108-4302 | Bedknife - Tournament Cut Extended .125 - .500 HOC | 1 |  |
|---|------------------|-----------------------|----------------------------------------------------|---|--|

*Detail Description: R&R Bedknives are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our reel blades and original equipment reels. Bedknives are surface ground on the top and front edge and straightened three times before being packaged with oil for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part.:*

|   |                  |                       |                                               |   |  |
|---|------------------|-----------------------|-----------------------------------------------|---|--|
| 3 | <b>R108-4303</b> | 104-7720,<br>108-4303 | Bedknife - Micro Cut Extended .062 - .187 HOC | 1 |  |
|---|------------------|-----------------------|-----------------------------------------------|---|--|

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.





# Replaces Toro Greensmaster eTriFlex

## 3360 Parts

DPA Cutting Unit - Models 04651, 04653 & 04655

Reel & Bedknife



| Item No | R&R Part No. | OEM Part No. | Description | Qty Req | Order Quantity |
|---------|--------------|--------------|-------------|---------|----------------|
|---------|--------------|--------------|-------------|---------|----------------|

*Detail Description:* R&R Bedknives are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our reel blades and original equipment reels. Bedknives are surface ground on the top and front edge and straightened three times before being packaged with oil for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part.:

|   |                |                                 |                                           |   |  |
|---|----------------|---------------------------------|-------------------------------------------|---|--|
| 3 | <b>R150466</b> | 63-8600,<br>64-6393,<br>94-6393 | Bedknife - Super Thick .312 -<br>1.00 HOC | 1 |  |
|---|----------------|---------------------------------|-------------------------------------------|---|--|

*Detail Description:* R&R Bedknives are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our reel blades and original equipment reels. Bedknives are surface ground on the top and front edge and straightened three times before being packaged with oil for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part.:

|   |                 |                                 |                                         |   |  |
|---|-----------------|---------------------------------|-----------------------------------------|---|--|
| 3 | <b>R93-4262</b> | 65-8250,<br>93-4262,<br>93-4263 | Bedknife - Micro Cut .062 -<br>.187 HOC | 1 |  |
|---|-----------------|---------------------------------|-----------------------------------------|---|--|

*Detail Description:* R&R Bedknives are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our reel blades and original equipment reels. Bedknives are surface ground on the top and front edge and straightened three times before being packaged with oil for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part.:

|   |                 |                                 |                                       |   |  |
|---|-----------------|---------------------------------|---------------------------------------|---|--|
| 3 | <b>R93-4264</b> | 57-4960,<br>63-8470,<br>93-4264 | Bedknife - Low Cut .187 - 1.00<br>HOC | 1 |  |
|---|-----------------|---------------------------------|---------------------------------------|---|--|

*Detail Description:* R&R Bedknives are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our reel blades and original equipment reels. Bedknives are surface ground on the top and front edge and straightened three times before being packaged with oil for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part.:

|   |                 |                                             |                                              |   |  |
|---|-----------------|---------------------------------------------|----------------------------------------------|---|--|
| 3 | <b>R93-4263</b> | 63-8560,<br>66-9320,<br>93-4263,<br>93-6039 | Bedknife - Tournament Cut<br>.125 - .500 HOC | 1 |  |
|---|-----------------|---------------------------------------------|----------------------------------------------|---|--|

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces Toro Greensmaster eTriFlex

## 3360 Parts

DPA Cutting Unit - Models 04651, 04653 & 04655  
Reel & Bedknife



| Item No | R&R Part No. | OEM Part No. | Description | Qty Req | Order Quantity |
|---------|--------------|--------------|-------------|---------|----------------|
|---------|--------------|--------------|-------------|---------|----------------|

*Detail Description: R&R Bedknives are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our reel blades and original equipment reels. Bedknives are surface ground on the top and front edge and straightened three times before being packaged with oil for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part.:*

|   |                 |                     |                                        |   |  |
|---|-----------------|---------------------|----------------------------------------|---|--|
| 3 | <b>R94-6392</b> | 62-2500,<br>94-6392 | Bedknife - High Cut .312 - 1.00<br>HOC | 1 |  |
|---|-----------------|---------------------|----------------------------------------|---|--|

*Detail Description: R&R Bedknives are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our reel blades and original equipment reels. Bedknives are surface ground on the top and front edge and straightened three times before being packaged with oil for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part.:*

|   |                 |         |                                           |   |  |
|---|-----------------|---------|-------------------------------------------|---|--|
| 3 | <b>R63-8610</b> | 63-8610 | Bedknife - Fairway Cut .375 -<br>1.00 HOC | 1 |  |
|---|-----------------|---------|-------------------------------------------|---|--|

*Detail Description: R&R Bedknives are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our reel blades and original equipment reels. Bedknives are surface ground on the top and front edge and straightened three times before being packaged with oil for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part.:*

|   |                 |                                            |                                     |   |  |
|---|-----------------|--------------------------------------------|-------------------------------------|---|--|
| 3 | <b>R94-6396</b> | 10-4900,<br>54-9150,<br>94-6396,<br>Oct-00 | Bedknife - High Cut 5/16"-1"<br>HOC | 1 |  |
|---|-----------------|--------------------------------------------|-------------------------------------|---|--|

*Detail Description: R&R Bedknives are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our reel blades and original equipment reels. Bedknives are surface ground on the top and front edge and straightened three times before being packaged with oil for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part.:*

|   |                |                     |                              |   |  |
|---|----------------|---------------------|------------------------------|---|--|
| 3 | <b>R150462</b> | 63-8610,<br>94-6396 | Bedknife - 7 Hole Thick 5/16 | 1 |  |
|---|----------------|---------------------|------------------------------|---|--|

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces Toro Greensmaster eTriFlex

## 3360 Parts

DPA Cutting Unit - Models 04651, 04653 & 04655

Reel & Bedknife



| Item No | R&R Part No. | OEM Part No. | Description | Qty Req | Order Quantity |
|---------|--------------|--------------|-------------|---------|----------------|
|---------|--------------|--------------|-------------|---------|----------------|

*Detail Description:* R&R Bedknives are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our reel blades and original equipment reels. Bedknives are surface ground on the top and front edge and straightened three times before being packaged with oil for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part.:

### R&R Razor Tool Steel Bedknives, Lifetime Guaranteed

|   |                  |          |                                                                       |   |
|---|------------------|----------|-----------------------------------------------------------------------|---|
| 3 | <b>R115-1881</b> | 115-1881 | Bedknife - Razor Tool Steel -<br>21 Tournament Cut .125 - .500<br>HOC | 1 |
|---|------------------|----------|-----------------------------------------------------------------------|---|

*Detail Description:* R&R Razor bedknives are manufactured from premium alloy tool steel steel and then hardened to RC48-51 to match the temper of our Razor reel blades and original equipment premium series reels. Bedknives are surface ground on the top and front edge and specially packaged for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part. You can expect up to double the life over standard bedknives.:

|   |                  |          |                                                               |   |
|---|------------------|----------|---------------------------------------------------------------|---|
| 3 | <b>R115-1880</b> | 115-1880 | Bedknife - Razor Tool Steel -<br>21 Micro Cut .062 - .187 HOC | 1 |
|---|------------------|----------|---------------------------------------------------------------|---|

*Detail Description:* R&R Razor bedknives are manufactured from premium alloy tool steel steel and then hardened to RC48-51 to match the temper of our Razor reel blades and original equipment premium series reels. Bedknives are surface ground on the top and front edge and specially packaged for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part. You can expect up to double the life over standard bedknives.:

|   |                |        |                                                   |   |
|---|----------------|--------|---------------------------------------------------|---|
| 3 | <b>R150492</b> | 150492 | Bedknife - Razor Tool Steel -<br>21 Micro Cut Ext | 1 |
|---|----------------|--------|---------------------------------------------------|---|

*Detail Description:* R&R Razor bedknives are manufactured from premium alloy tool steel steel and then hardened to RC48-51 to match the temper of our Razor reel blades and original equipment premium series reels. Bedknives are surface ground on the top and front edge and specially packaged for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part. You can expect up to double the life over standard bedknives.:

|   |                  |          |                                                   |   |
|---|------------------|----------|---------------------------------------------------|---|
| 3 | <b>R112-7475</b> | 112-7475 | Bedknife - Razor Tool Steel -<br>22 x 3/8 Fairway | 1 |
|---|------------------|----------|---------------------------------------------------|---|

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces Toro Greensmaster eTriFlex

## 3360 Parts

DPA Cutting Unit - Models 04651, 04653 & 04655  
Reel & Bedknife



| Item No | R&R Part No. | OEM Part No. | Description | Qty Req | Order Quantity |
|---------|--------------|--------------|-------------|---------|----------------|
|---------|--------------|--------------|-------------|---------|----------------|

*Detail Description: R&R Razor bedknives are manufactured from premium alloy tool steel steel and then hardened to RC48-51 to match the temper of our Razor reel blades and original equipment premium series reels. Bedknives are surface ground on the top and front edge and specially packaged for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part. You can expect up to double the life over standard bedknives.:*

### Overhaul Kit

|   |                  |          |                              |   |  |
|---|------------------|----------|------------------------------|---|--|
| 4 | <b>R121-2637</b> | 121-2637 | Overhaul Kit - DPA Adjusters | 1 |  |
|---|------------------|----------|------------------------------|---|--|

### Service Tools

|   |                 |         |                            |   |  |
|---|-----------------|---------|----------------------------|---|--|
| 5 | <b>R51-0880</b> | 51-0880 | Bedknife Screw Driver Tool | 0 |  |
|---|-----------------|---------|----------------------------|---|--|

*Detail Description: Easily install and remove bed knife screws with the help of a ratchet with 3/8" drive. Tool manufactured with hardened alloy steel.:*

### Other Parts Available

|    |                     |                           |                                         |    |  |
|----|---------------------|---------------------------|-----------------------------------------|----|--|
| 10 | <b>R106-2648-01</b> | 106-2648-01               | Bed Bar                                 | 1  |  |
| 10 | <b>R99-3794-01</b>  | 99-3794-01,<br>99-3794-03 | Bed Bar - Aggressive                    | 1  |  |
| 11 | <b>R106-2619</b>    | 106-2619                  | Seal - Strip                            | 1  |  |
| 12 | <b>R106-5363</b>    | 106-5363                  | Shaft - Adjusting - Bed Bar - Stainless | 2  |  |
| 13 | <b>R106-5344</b>    | 106-5344                  | Bushing - Flanged and Keyed             | 4  |  |
| 14 | <b>R99-2097</b>     | 99-2097                   | Detent - Bed Bar Adjuster               | 2  |  |
| 15 | <b>R105-5708</b>    | 105-5708,<br>121-4609     | Plug - Expansion                        | 1  |  |
| 16 | <b>R119-4151</b>    | 119-4151                  | Screw - Bedknife 5/16-18 x 17/32        | 13 |  |
| 17 | <b>R52-2900</b>     | 52-2900                   | Washer - Nylon                          | 4  |  |
| 18 | <b>R52-2890</b>     | 52-2890                   | Bushing - Flanged                       | 2  |  |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.





# Replaces Toro Greensmaster eTriFlex 3360 Parts

DPA Cutting Unit - Models 04651, 04653 & 04655  
Reel & Bedknife



| Item No                                     | R&R Part No.     | OEM Part No.                                 | Description                                  | Qty Req | Order Quantity |
|---------------------------------------------|------------------|----------------------------------------------|----------------------------------------------|---------|----------------|
| 19                                          | <b>R32120-93</b> | 32120-93                                     | Snap Ring - HD                               | 2       |                |
| 20                                          | <b>R110-7352</b> | 110-7352                                     | Screw - HOC 2 5/8 Stainless                  | 2       |                |
| 21                                          | <b>R52-2860</b>  | 119-4150,<br>52-2860                         | Washer - Bed Bar Pivot                       | 4       |                |
| 22                                          | <b>R117-9493</b> | 117-9493                                     | Bolt - Bed Bar - Hardened                    | 2       |                |
| 23                                          | <b>R119-4155</b> | 119-4155                                     | Washer - Hardened                            | 2       |                |
| 24                                          | <b>R115-7039</b> | 115-7039                                     | Screw - Adjuster - Bedbar                    | 2       |                |
| <i>Tech Note: Ser# 316000001-999999999:</i> |                  |                                              |                                              |         |                |
| 24                                          | <b>R137-6130</b> | 137-6130                                     | Screw - Adjuster - Hardened - Bedbar         | 2       |                |
| <i>Tech Note: Ser# 405700000-999999999:</i> |                  |                                              |                                              |         |                |
| 25                                          | <b>R3296-48</b>  | 119-4039,<br>32146-7,<br>3296-34,<br>3296-48 | Locknut - 7/16-14 ESNA                       | 2       |                |
| 26                                          | <b>R114-9396</b> | 114-9396,<br>119-4067                        | Bolt - Hex HD 5/16-18 x 3/8                  | 4       |                |
| 27                                          | <b>R115-7041</b> | 115-7041                                     | Bracket - Front Roller 5 1/4 in              | 2       |                |
| 28                                          | <b>R115-7263</b> | 115-7263                                     | Bolt - Bearing Lock                          | 1       |                |
| 29                                          | <b>R115-3296</b> | 115-3296                                     | Bearing                                      | 2       |                |
| <i>Tech Note: Ser# 316000001-999999999:</i> |                  |                                              |                                              |         |                |
| 29                                          | <b>R140-5510</b> | 140-5510                                     | Bearing - Sealed Stainless                   | 2       |                |
| <i>Tech Note: Ser# 408000000-999999999:</i> |                  |                                              |                                              |         |                |
| 30                                          | <b>R110-2343</b> | 110-2343                                     | Groomer Blade - Carbide Tipped - Helix 1.5mm | 42      |                |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces Toro Greensmaster eTriFlex 3360 Parts

DPA Cutting Unit - Models 04651, 04653 & 04655  
Reel & Bedknife



| Item No                                     | R&R Part No.        | OEM Part No.                                                                       | Description                          | Qty Req | Order Quantity |
|---------------------------------------------|---------------------|------------------------------------------------------------------------------------|--------------------------------------|---------|----------------|
| 31                                          | <b>R70-1350</b>     | 70-1350                                                                            | Spacer - 1/4 Fits Groomer Shaft      | 82      |                |
| 32                                          | <b>R115-3303-03</b> | 115-3303-03                                                                        | Bar - Cutoff                         | 1       |                |
| 33                                          | <b>R3296-28</b>     | 119-4154,<br>140-9234,<br>32127-34,<br>32128-7,<br>32128-8,<br>32136-7,<br>3296-28 | Nut - 1/2-20 ESNA Jam                | 2       |                |
| 34                                          | <b>R119-4153</b>    | 119-4153                                                                           | Bushing - Rubber                     | 2       |                |
| 35                                          | <b>R119-4164</b>    | 119-4164                                                                           | Washer - Wave                        | 2       |                |
| 36                                          | <b>R119-4156</b>    | 119-4156                                                                           | Spring - Compression                 | 2       |                |
| 37                                          | <b>R105-5700</b>    | 105-5700,<br>115-5258                                                              | Wave Washer - Bearing                | 1       |                |
| 38                                          | <b>R115-3299</b>    | 115-3299                                                                           | Seal- Flocked                        | 2       |                |
| 39                                          | <b>R119-4095</b>    | 119-4095                                                                           | Grass Shield Assy                    | 1       |                |
| 40                                          | <b>R354083</b>      | 104-7729,<br>354083                                                                | Decal - Danger                       | 1       |                |
| <i>Tech Note: Ser# 316000001-999999999:</i> |                     |                                                                                    |                                      |         |                |
| 40                                          | <b>R137-9706</b>    | 137-9706                                                                           | Decal- Warning                       | 1       |                |
| <i>Tech Note: Ser# 403460001-999999999:</i> |                     |                                                                                    |                                      |         |                |
| 41                                          | <b>R119-4035</b>    | 119-4035                                                                           | Bolt - 1/4-20 x 1 3/4 Soc HD Cap Scr | 4       |                |
| 42                                          | <b>R119-4040</b>    | 119-4040                                                                           | Nut - 1/4-20 FI Locknut              | 4       |                |
| 43                                          | <b>R105-5712</b>    | 105-5712,<br>119-4157                                                              | Retainer - Roller                    | 2       |                |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces Toro Greensmaster eTriFlex 3360 Parts

DPA Cutting Unit - Models 04651, 04653 & 04655  
Reel & Bedknife



| Item No | R&R Part No.        | OEM Part No.                     | Description                                 | Qty Req | Order Quantity |
|---------|---------------------|----------------------------------|---------------------------------------------|---------|----------------|
| 44      | <b>R105-5711</b>    | 105-5711,<br>119-4165            | Shim - Roller                               | 2       |                |
| 45      | <b>R105-5710</b>    | 105-5710,<br>119-4166            | Spacer - Roller                             | 2       |                |
| 46      | <b>R106-9095-01</b> | 106-9095-01                      | Scraper - Assy                              | 1       |                |
| 47      | <b>R256-239</b>     | 256-239                          | Bearing                                     | 2       |                |
| 48      | <b>R106-9091</b>    | 106-9091                         | Pin - Scraper                               | 2       |                |
| 49      | <b>R33113-016</b>   | 33113-016,<br>48-7620            | Bolt - Hex Washer M6-1.0 x 12               | 4       |                |
| 50      | <b>R6050-103</b>    | 48-8010,<br>48-8030              | Washer - Flat                               | 4       |                |
| 51      | <b>R33023-00</b>    | 33023-00,<br>48-7900,<br>49-7810 | Locknut - ESNA 6mm x 1.0                    | 4       |                |
| 52      | <b>R33094-00</b>    | 33094-00,<br>93-5914             | Washer - Flat - 8mm<br>Hardened             | 2       |                |
| 53      | <b>R33024-00</b>    | 33024-00                         | Locknut - 8mm x 1.25                        | 2       |                |
| 54      | <b>R115-7042</b>    | 115-7042                         | Bolt-Shoulder, Flange                       | 4       |                |
| 55      | <b>R131-6150</b>    | 131-6150                         | Screw- 1/4-20 x 3/4 Hx Wh<br>Thread Forming | 4       |                |
| 56      | <b>R119-4012</b>    | 119-4012                         | Screw - Hx Washer HD Self<br>Threading      | 3       |                |
| 57      | <b>R106-9094</b>    | 106-9094                         | Spring - LH - SS                            | 1       |                |
| 58      | <b>R106-9093</b>    | 106-9093                         | Spring - RH - SS                            | 1       |                |
| 59      | <b>R104-2603</b>    | 104-2603,<br>119-4158            | Washer - HOC Bracket                        | 2       |                |
| 60      | <b>R119-9303</b>    | 105-5799,<br>119-9303            | Frame - Crossmember                         | 1       |                |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces Toro Greensmaster eTriFlex 3360 Parts

*DPA Cutting Unit - Models 04651, 04653 & 04655  
Reel & Bedknife*



| Item No | R&R Part No.        | OEM Part No. | Description                          | Qty Req | Order Quantity |
|---------|---------------------|--------------|--------------------------------------|---------|----------------|
| 61      | <b>R119-9307-01</b> | 119-9307-01  | Arm - Pitch                          | 2       |                |
| 62      | <b>R120-3221</b>    | 120-3221     | Reel Nut Assy - LH                   | 1       |                |
| 63      | <b>R120-3220</b>    | 120-3220     | Plug - Plastic                       | 1       |                |
| 64      | <b>R117-6706</b>    | 117-6706     | Clamp - Motor                        | 1       |                |
| 65      | <b>R119-4005</b>    | 119-4005     | Side Plate Assy-LH Incl<br>R117-6619 | 1       |                |
| 66      | <b>R119-4007</b>    | 119-4007     | Side Plate Assy-RH Incl<br>R117-6619 | 1       |                |
| 67      | <b>R117-6619</b>    | 117-6619     | Bushing                              | 2       |                |
| 68      | <b>R99-3773</b>     | 99-3773      | Bolt- Plow 3/8-16 x 1 3/4            | 2       |                |
| 69      | <b>R132-4586</b>    | 132-4586     | Screw - HOC - Stainless              | 2       |                |
| 70      | <b>R121-4605</b>    | 121-4605     | Washer - Spring - Curved             | 2       |                |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces Toro Greensmaster eTriFlex 3360 Parts

DPA Cutting Unit - Models 04651, 04653 & 04655  
Reel & Bedknife



| Item No | R&R Part No. | OEM Part No.                                                                                                                                                                                                                                                                                                                   | Description                    | Qty Req | Order Quantity |
|---------|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|---------|----------------|
| 71      | R453011      | 01-166-0100,<br>01-166-0120,<br>01-166-0270,<br>01-166-0500,<br>01-166-0600,<br>01-166-0620,<br>132-4593,<br>2356-3,<br>237-12,<br>24-10-AD,<br>24-11-AD,<br>24-11-BD,<br>24-12-AD,<br>24-12-BD,<br>30-9310,<br>32-8190,<br>3256-24,<br>3256-3,<br>3256-36,<br>3256-4,<br>453011,<br>47-9950,<br>48-9220,<br>513458,<br>7-0052 | Washer - Flat 3/8 SAE Y/Zinc   | 4       |                |
| 72      | R1891        | 1891                                                                                                                                                                                                                                                                                                                           | E-Ring                         | 2       |                |
| 73      | R115-5227    | 115-5227                                                                                                                                                                                                                                                                                                                       | Motor Adapter Assy             | 1       |                |
| 74      | R115-3294    | 115-3294                                                                                                                                                                                                                                                                                                                       | Adaptor - Hyd Motor            | 1       |                |
| 75      | R434036      | 3274-18                                                                                                                                                                                                                                                                                                                        | Screw - Soc HD 5/16-18 x 1-1/4 | 2       |                |
| 76      | R3296-29     | 1-804256,<br>3290-357,<br>3296-29,<br>915662P                                                                                                                                                                                                                                                                                  | Locknut - 5/16-18 ESNA         | 4       |                |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.





# Replaces Toro Greensmaster eTriFlex 3360 Parts

DPA Cutting Unit - Models 04651, 04653 & 04655  
Reel & Bedknife



| Item No                                      | R&R Part No. | OEM Part No.                                                                                             | Description                       | Qty Req | Order Quantity |
|----------------------------------------------|--------------|----------------------------------------------------------------------------------------------------------|-----------------------------------|---------|----------------|
| 76                                           | R32153-3     | 119-4038,<br>22-12-AJFD,<br>32127-35,<br>32146-5,<br>32153-3,<br>3296-18,<br>3296-29,<br>3296-31,<br>N/A | Locknut - 5/16-18 ESNA Zinc       | 4       |                |
| 77                                           | R115-7193    | 115-7193                                                                                                 | Nut-HOC                           | 2       |                |
| <i>Tech Note: Ser# 316000001- 403460000:</i> |              |                                                                                                          |                                   |         |                |
| 77                                           | R32128-19    | 104-8301,<br>104-9301,<br>32128-19                                                                       | Locknut - 3/8-16 Flanged Top Lock | 2       |                |
| <i>Tech Note: Ser# 403460001-:</i>           |              |                                                                                                          |                                   |         |                |
| 77                                           | R104-8301    | 104-8301,<br>104-9301,<br>109-6658,<br>133-7570                                                          | Locknut - 3/8-16 Nylon Flanged    | 2       |                |
| <i>Tech Note: Ser# 403460001-:</i>           |              |                                                                                                          |                                   |         |                |
| 78                                           | R360-0398    | 360-0398                                                                                                 | O-Ring                            | 1       |                |
| 79                                           | R237-22      | 107-8844,<br>237-22,<br>237-78                                                                           | O-Ring                            | 2       |                |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.